

## AUTHOR INDEX

- AARDEN, L.A. *see* DRAEGER, A.M.  
 AIHARA, S. *see* BABA, K.  
 EL AMIN, E.M., WRIGHT, E.P. & VLUG, A. Characterization of the humoral immune response in Sudanese Leishmaniasis: specific antibody detected by class- and subclass-specific reagents, 14  
 ALBERTI, A. *see* CHEMELLO, L.  
 ALDERUCCIO, F., BARNETT, A.J., CAMPBELL, J.H., PEDERSEN, J.S. & TOH, B.H. ScI-95/100: doublet of endothelial marker autoantigens in progressive systemic sclerosis, 94  
 ALEGRE, V.A., MACDONALD, D.M. & POULTER, L.W. The simultaneous presence of Langerhan's cell and interdigitating cell antigenic markers on inflammatory dendritic cells, 330  
 ALEXANDER, G.J.M. *see* NOURI-ARIA, K.T.  
 ALLISON, A.C. *see* MIRKOVICH, A.M.  
 AMENDOEIRA, R.R. *see* MENDONCA, S.C.  
 AMLOT, P.L., HAYES, A.E., GRAY, D., GORDON-SMITH, E.C. & HUMPHREY, J.H. Human immune responses *in vivo* to protein (KLH) and polysaccharide (DNP-Ficoll) neoantigens: normal subjects compared with bone marrow transplant patients on cyclosporine, 125  
 ANDRADE, Z.A. *see* REED, S.G.  
 ANDREWS, B.S. *see* BERMAN, M.A.  
 AREND, W.P. & MASSONI, R.J. Characteristics of bacterial lipopolysaccharide induction of interleukin 1 synthesis and secretion by human monocytes, 656  
 AUGER, F.A. *see* BENDER, B.S.  
 BABA, K., ISE, I., AIHARA, S., KISHIMOTO, S., TSUDA, F., TACHIBANA, K., MIYAKAWA, Y. & MAYUMI, M. Small and large forms of hepatitis B e antigen in the serum: determination by two-site sandwich radioimmunoassay with monoclonal antibodies, 295  
 BADARO, R. *see* PONTES DE CARVALHO, L.C.  
 BANGA, J.P., MIRAKIAN, R., HAMMOND, L., PRYCE, G., BIDEY, S., BOTTAZZO, F., WEETMAN, A.P., MCGREGOR, A.M. & ROITT, I.M. Characterization of monoclonal antibodies directed towards the microsomal/microvillar thyroid autoantigen recognized by Hashimoto autoantibodies, 544  
 BARNASS, S., MACE, J., STEELE, J., TORRES, P., GERVAISONI, B., RAVIOLI, R., TERENCIO, J., ROOK, G.A.W. & WATERS, M.F.R. Prevalence and specificity of the enhancing effect of three types of interleukin 2 on T cell responsiveness in 97 lepromatous leprosy patients of mixed ethnic origin, 41  
 BARNETT, A.J. *see* ALDERUCCIO, F.  
 BARONE-VARELAS, J. *see* BHOOPALAM, N.  
 BATSFORD, S.R. *see* OTE, T.  
 BATTISTIN, S. *see* DE PAOLI, P.  
 BEATY, W., RYDER, C.R. & HEISE, DE V. Complement abnormalities during an epidemic of Group B meningococcal infection in children, 465  
 BECK, S.W., MORLEY, S.M., GIBBS, J.H., POTTS, R.C., ILIAS, M.I., KARDJITO, T., GRANGE, J.M., STANFORD, J. & BROWN, R.A. The cellular responses of tuberculosis and leprosy patients and of healthy controls in skin tests to 'New Tuberculin' and Leprosin A, 484  
 BEFRITS, R. *see* HAST, R.  
 BENDER, B.S., AUGER, F.A., QUINN, T.C., REDFIELD, R., GOLD, J. & FOLKS, T.M. Impaired antibody-dependent cell-mediated cytotoxic activity in patients with acquired immunodeficiency syndrome, 166  
 BENTWICH, Z. *see* SHALEV, Y.  
 BERGAMO, F. *see* DE PAOLI, P.  
 BERMAN, M.A., SANDBORG, C.I., CALABIA, B.S., ANDREWS, B.S. & FRIOU, C.G. Studies of an interleukin 1 inhibitor: characterization and clinical significance, 136  
 BERNASCONI, P. *see* FIORINI, G.  
 BERNELL, P. *see* HAST, R.  
 BHATTACHARYA, S. *see* RANADIVE, S.N.  
 BHOOPALAM, N., PRICE, K., NORGELLO, H., BARONE-VARELAS, J. & FRIED, W. Busulfan and chloramphenicol induced T cell lymphoma: cell surface characteristics and functional properties, 646  
 BIDEY, S. *see* BANGA, J.P.  
 BORTOLOTTI, F. *see* CHEMELLO, L.  
 BOSIO, R. *see* DE PAOLI, P.  
 BOTTAZZO, F. *see* BANGA, F.  
 BOTZENHART, K. *see* DORIG, G.  
 BOYCE, N.W. & HOLDSWORTH, S.R. Quantitation of the intrarenal uptake of immunoglobulin aggregates by macrophages in diffuse proliferative glomerulonephritis, 638  
 BRAUN, R.P. *see* SIBLEY, J.T.  
 BRAUTBAR, C. *see* SHALEV, Y.  
 BRETT, S.J., PAYNE, S.N., GIGG, J., BURGESS, P. & GIGG, R. Use of synthetic glycoconjugates containing *Mycobacterium leprae* specific and immunodominant epitope of phenolic glycolipid I in the serology of leprosy, 476  
 VAN DEN BRINK, H.G. *see* DRAEGER, A.M.  
 BROWN, R.A. *see* BECK, J.S.  
 BURGESS, P. *see* BRETT, S.J.  
 CALABIA, B.S. *see* BERMAN, M.A.  
 CAMERON, J.S. *see* KOYAMA, A.  
 CAMPBELL, J.H. *see* ALDERUCCIO, F.  
 CARBONE, A. *see* DE PAOLI, P.  
 CARSON, D.A. *see* FONG, S.  
 CARVALHO, E.M. *see* PONTES DE CARVALHO, L.C.  
 CHEMELLO, L., MONDELLI, M., BORTOLOTTI, F., SCHIAVON, E., PONTISSO, P., ALBERTI, A., RONDANELLI, E.G. & REALDI, G. Natural killer activity in patients with acute viral hepatitis, 59  
 CHEN, P.P. *see* FONG, S.  
 CHIANESE, R. *see* FIORINI, G.  
 CICLITIRA, P.J., ELLIS, H.J., WOOD, G.M., HOWDLE, P.D. & LOSOWSKY, M.S. Secretion of gliadin antibody by coeliac jejunal mucosal biopsies cultured *in vitro*, 119  
 CLAESSON-WELSH *see* HANSSON, G.K.  
 CLANCY, R.L. *see* PANG, G.  
 CLEMMENSEN, I., JENSEN, B.A., HÖLUND, B., KAPPEL-

- CLEMMENSEN, I. (cont.)  
 GAARD & NIELSEN, H. Circulating monoclonal IgM lambda cryoglobulin with collagen type I affinity in vasculitis, 587
- COLLINS, E.J. *see* DE MOERLOOSE, P.A.
- COUTINHO, S.G. *see* MENDONÇA, S.C.
- CREE, I.A. & SWANSON, J. The influence of killed *Mycobacterium leprae* and other mycobacteria on opsonized yeast phagocytosis, 35
- CRIPPS, R.L. *see* PANG, G.
- CUNNINGHAM-RUNDLES, C. & O'REILLY, R. Association of circulating immune complexes containing bovine proteins and graft-versus-host disease, 323
- D'AMICO, G. *see* FIORINI, G.
- DASGUPTA, M. *see* DORIG, G.
- DAWKINS, R.L. *see* MARZO, A.L.
- DE GAST, G.C. *see* MUDE, G.C.
- DE GRAEFF, P.A. *see* OUT, T.A.
- DE MOERLOOSE, P.A., FRAZER, I.H., SEWELL, N.A., COLLINS, E.J. & MACKAY, I.R. Cell-mediated immunity to hepatitis B virus antigens in mice: correlation of *in vivo* and *in vitro* assays, 285
- DE PAOLI, P., REITANO, M., BATTISTIN, S., MARTELLE, P., VILLALATA, D., BERGAMO, F., TIRELLI, U., CARBONE, A., DIODATO, S., BOSIO, R. & SANTINI, G. Immunological abnormalities in intravenous drug abusers and relationship to the prolonged generalized lymphadenopathy syndrome in Italy, 451
- DIODATO, S. *see* DE PAOLI, P.
- DÖRIG, G., GOLDSTEIN, W., BOITZENHART, K., KHARAZMI, A., SCHIOTZ, P.O., HOIBY, N. & DASGUPTA, M. Elastase from polymorphonuclear leucocytes: a regulatory enzyme in immune complex disease, 597
- DOWDING, C. *see* HAST, R.
- DRAEGER, A.M., SWAAK, A.J.G., VAN DEN BRINK, H.G. & AARDEN, L.A. T cell function in systemic lupus erythematosus: normal production of and responsiveness to interleukin 2, 80
- DREW, P.A. *see* FERRANTE, A.
- EDDLESTON, A.L.W.F. *see* NOURI-ARIA, K.T.
- ELLIS, H.J. *see* CICLITIRA, P.J.
- EPSTEIN, M.A. *see* YAO, Q.Y.
- FELDMANN, M. *see* KAYE, P.M.
- FERRANTE, A., KIROFF, G.K. & DREW, P.A. Elevated natural killer (NK) cytotoxicity of mononuclear leucocytes from splenectomized patients: increase in Leu-7<sup>+</sup> and Leu-11<sup>+</sup> leucocytes, 173
- FINN, T. *see* SPENCER, J.
- FIORINI, G., BERNASCONI, P., SINCIO, R.A., CHIANESE, R., POZZI, F. & D'AMICO, G. Increased frequency of antibodies to ubiquitous viruses in essential mixed cryoglobulinaemia, 65
- FOGED, N. *see* HUSBY, S.
- FOLKS, T.M. *see* BENDER, B.S.
- FONG, S., GILBERTSON, T.A., CHEN, P.P., KARRAS, J.G., VAUGHAN, J.H. & CARSON, D.A. The common occurrence of internal image type anti-idiotypic antibodies in rabbits immunized with monoclonal and polyclonal human IgM rheumatoid factors, 570
- FORIS, G. *see* PARAGH, G.
- FRAZER, I.H. *see* DE MOERLOOSE, P.A.
- FRIED, W. *see* BHOPALAM, N.
- FRIOU, G.C. *see* BERMAN, M.A.
- FUJIWARA, K. *see* OHTA, Y.
- FUKUDA, T. *see* MORISHIMA, Y.
- GALELLI, A. *see* MIRKOVICH, A.M.
- GALVAO-CASTRO, B. *see* PONTES DE CARVALHO, L.C.
- GARLEPP, M.J. *see* MARZO, A.L.
- GASTON, J.S.H. *see* YAO, Q.Y.
- GERVASONI, B. *see* BARNASS, S.
- GIBBS, J.H. *see* BECK, J.S.
- GIGG, J. *see* BRETT, S.J.
- GILBERTSON, T.A. *see* FONG, S.
- GLATFELTER, A. *see* RAJ, A.S.
- GOLD, J. *see* BENDER, B.S.
- GOLDSTEIN, W. *see* DORIG, G.
- GORDON-SMITH, E.C. *see* AMLOT, P.L.
- GRANGE, J.M. *see* BECK, J.S.
- GRAY, D. *see* AMLOT, P.L.
- GUNN, H.C. Successful treatment of autoimmunity in (NZB × NZW)F<sub>1</sub> mice with cyclosporin and (NVA<sup>2</sup>)-cyclosporin: I. Reduction of autoantibodies, 225
- GUNN, H.C. & RYFFEL, B. Successful treatment of autoimmunity in (NZB × NZW)F<sub>1</sub> mice with cyclosporin and (NVA<sup>2</sup>)-cyclosporin: II. Reduction of glomerulonephritis, 234
- HAIDAR, M. *see* LEVY, R.J.
- HAMMOND, L. *see* BANGA, J.P.
- HANSSON, G.K., JONASSON, L., HOLM, J. & CLAESON-WELSH, L. Class II MHC antigen expression in the atherosclerotic plaque: smooth muscle cells express HLA-DR, HLA-DQ and the invariant gamma chain, 261
- HARDIE, D.L. *see* JOHNSON, G.D.
- HARRISON, L.C. *see* HEYMA, P.
- HAST, R., BERNELL, P., BEFRITS, R., DOWDING, C. & SÖGREN, A. Decrease in helper (T4<sup>+</sup>) lymphocytes following cimetidine treatment for duodenal ulcer, 114
- HAYES, P.L. *see* AMLOT, P.L.
- HEESE, H. DE V. *see* BEATY, W.
- HENNESSY, E.J. *see* PANG, G.
- HEYMA, P., HARRISON, L.C. & ROBINS-BROWNE, R. Thyrotrophin (TSH) binding sites on *Yersinia enterocolitica* recognized by immunoglobulins from humans with Graves' disease, 249
- HIRSCH, R.L. Defective autologous mixed lymphocyte activity in multiple sclerosis, 107
- HOIBY, N. *see* DORIG, G.
- HOLDSWORTH, S.R. *see* BOYCE, N.W.
- HOLM, J. *see* HANSSON, G.K.
- HOLUND, B. *see* CLEMMENSEN, I.
- HOWDLE, P.D. *see* CICLITIRA, P.J.
- HUMPHREY, J.H. *see* AMLOT, P.L.
- HUSBY, S., FOGED, N., OXELIUS, V.-A. & SVEHAG, S.-E. Serum IgG subclass antibodies to gliadin and other dietary antigens in children with coeliac disease, 526
- ILIAS, M.I. *see* BECK, J.S.
- INAGE, H. *see* Koyama, A.
- INVERSO, J.A. *see* REED, S.G.

- ISAACSON, P.G. *see* SPENCER, J.
- ISE, I. *see* BABA, K.
- JENSEN, B.A. *see* CLEMMENSEN, I.
- JOHNSON, G.D., HARDIE, D.L., LING, N.R. & MACLENNAN, I.C.M. Human follicular dendritic cells (FDC): a study with monoclonal antibody (MoAb), 205
- JONASSON, L. *see* HANSSON, G.K.
- JONES, D.N. *see* KOH, L.Y.
- KALE, M.K. *see* RANADIVE, S.N.
- KANAKURA, Y. *see* TAMAKI, T.
- KAPP, A. *see* KOWNATZKI, E.
- KAPPELGAARD, E. *see* CLEMMENSEN, I.
- KARDITO, T. *see* BECK, J.S.
- KARRAS, J.G. *see* FONG, S.
- KATAGIRI, S. *see* TAMAKI, T.
- KATZ, D. *see* SHALEV, Y.
- KAYE, P.M. & FELDMANN, M. Regulation of macrophage accessory cell activity by mycobacteria. I. Ia expression in normal and irradiated mice infected with *Mycobacterium microti*, 20
- KAYE, P.M., SIMS, M. & FELDMANN, M. Regulation of macrophage accessory cell activity by mycobacteria. II. *In vitro* inhibition of Ia expression by *Mycobacterium microti*, 28
- KHARAZMI, A. *see* DORIG, G.
- KIROFF, G.K. *see* FERRANTE, A.
- KISHIMOTO, S. *see* BABA, K.
- KITANI, T. *see* TAMAKI, T.
- KOH, L.Y., JONES, D.N. & ROBERTS-THOMSON, P.J. Appearance of low molecular weight IgM during course of infective endocarditis, 471
- KOJIMA, H. *see* SATO, M.
- KOSHIKAWA, S. *see* SATO, M.
- KOWNATZKI, E., KAPP, A. & UHRICH, S. Novel neutrophil chemotactic factor derived from human peripheral blood mononuclear leukocytes, 14
- KOYABASHI, M. *see* KOYAMA, A.
- KOYAMA, A., INAGE, H., KOYABASHI, M., OHTA, Y., NARITA, M., TOJO, S. & CAMERON, J.S. Role of antigenic charge and antibody avidity on the glomerular immune complex localization in serum sickness of mice, 606
- KUNKEL, R. *see* RAJ, A.S.
- LAMBDEN, P.R. *see* WATT, P.J.
- LANNES-VIEIRA, J. *see* PONTES DE CARVALHO, L.C.
- LEE, J.S. *see* SIBLEY, J.T.
- LEMM, G. & WARNATZ, H. Evidence for enhanced interleukin 2 (IL-2) secretion and IL-2 receptor presentation by synovial fluid lymphocytes in rheumatoid arthritis, 71
- LEOVEY, A. *see* PARAGH, G.
- LEVINSON, A.I. *see* LEVY, R.J.
- LEVY, R.J., HAIDAR, M., PARK, H., TAR, L. & LEVINSON, A.I. Bacterial peptidoglycan induces *in vitro* rheumatoid factor production by lymphocytes of healthy subjects, 311
- LING, N.R. *see* JOHNSON, G.D.
- LOSOWSKY, M.S. *see* CICLITIRA, P.J.
- MACDONALD, D.M. *see* ALEGRE, V.A.
- MACDONALD, T.T. *see* SPENCER, J.
- MACE, J. *see* BARNASS, S.
- MACKAY, I.R. *see* DE MOERLOOSE, P.A.
- MACLENNAN, I.C.M. *see* JOHNSON, G.D.
- MAKKER, D.M. *see* MAKKER, S.P.
- MAKKER, S.P. & MAKKER, D.M. A simple technique for detecting the antigen of Heymann nephritis in glomeruli by immunofluorescence, 615
- MARSOCHI, M.C.A. *see* PONTES DE CARVALHO, L.C.
- MARTELLE, P. *see* DE PAOLI, P.
- MARZO, A.L., GARLEPP, M.J., SCHON-HEGRAD, M. & DAWKINS, R.L. Susceptibility to murine experimental autoallergic myasthenia gravis: the role of antibody specificity, 101
- MARZOCHI, M.C.A. *see* MENDONÇA, S.C.
- MASSONI, R.J. *see* AREND, W.P.
- MAYUMI, M. *see* BABA, K.
- MCGREGOR, A.M. *see* BANGA, J.P.
- McKENNA, R.M. *see* OFOSU-APPIAH, W.A.
- MENDONÇA, S.C., COUTINHO, S.G., AMENDOERA, R.R., MARZOCHI, M.C.A. & PIRMEZ, C. Human American cutaneous leishmaniasis (*Leishmania b. braziliensis*) in Brazil: lymphoproliferative responses and influence of therapy, 269
- MIRAKIAN, R. *see* BANGA, J.P.
- MIRKOVICH, A.M., GALELLI, A., ALLISON, A.C. & MODABBER, F.Z. Increased myelopoiesis during *Leishmania major* infection in mice: generation of 'safe targets', a possible way to evade the effector immune mechanism, 1
- MİYAKAWA, Y. *see* BABA, K.
- MIZUTANI, H. *see* TAMAKI, T.
- MODABBER, F.Z. *see* MIRKOVICH, A.M.
- MONDELLI, M. *see* CHEMELLO, L.
- MORISHIMA, T. *see* MORISHIMA, Y.
- MORISHIMA, Y., OHYA, K., MORISHIMA, T., NISHIKAWA, K. & FUKUDA, T. Immunological studies on adult T cell leukaemia virus (ATLV) carriers, 457
- MORLEY, S.M. *see* BECK, J.S.
- MOZES, E. *see* SHALEV, Y.
- MUDE, G.C., VAN DAM, D. & DE GAST, G.C. Human peripheral blood B cell subpopulations: surface IgD<sup>+</sup> cells respond to pokeweed mitogen with plasma cell differentiation, 150
- VAN MUNSTER, P.J.J. *see* OUT, T.A.
- NAGY, J.T. *see* PARAGH, J.T.
- NARITA, N. *see* KOYAMA, A.
- NEILSEN, H. *see* CLEMMENSEN, I.
- NISHI, T. *see* OHTA, Y.
- NISHIKAWA, K. *see* MORISHIMA, Y.
- NORGELLO, H. *see* BHOOPALAM, N.
- NOURI-ARIA, K.T., ALEXANDER, G.J.M., PORTMANN, B., VERGANI, D., EDDLESTON, A.L.W.F. & WILLIAMS, R. *In vitro* study of IgG production and concanavalin A induced suppressor cell function in acute and chronic hepatitis B virus infection, 50
- OFOSU-APPIAH, W.A., McKENNA, R.M., WARRINGTON, R.J. & WILKINS, J.A. Characterization of synovial T lymphocytes in rheumatoid arthritis I. Production of IL-2 dependent T cell clones from synovial fluid and peripheral blood, 555
- OGAWA, H. & TSUNEMATSU, T. Suppression of adju-

- OGAWA, H. (*cont.*)  
 vant arthritis in rats by transfer of cultured spleen cells, 88
- OHTA, Y., FUJIWARA, K., NISHI, T. & OKA, H. Normal values of peripheral lymphocyte populations and T cell subsets at a fixed time of day: a flow cytometric analysis with monoclonal antibodies in 210 healthy adults, 146
- OHTA, Y. *see* KOYAMA, A.
- OHYA, K. *see* MORISHIMA, Y.
- OITE, T., SHIMIZU, F., BATSFORD, S.R. & VOGT, A. The effect of protamine sulfate on the course of immune complex glomerulonephritis in the rat, 318
- OKA, H. *see* OHTA, Y.
- O'REILLY, R. *see* CUNNINGHAM-RUNDLES, C.
- ORGE, G. *see* PONTES DE CARVALHO, L.C.
- OUT, T.A., VAN MONSTER, P.J.J., DE GRAEFF, P.A., THE, T.H., VOSSEN, J.M. & ZEGERS, B.J.M. Immunological investigations in individuals with selective IgA deficiency, 510
- OXELIUS, V.-A. *see* HUSBY, S.
- PANG, G., YEUNG, S., CLANCY, R.L., CRIPPS, A.W., HENNESSY, E.J. & SANTHANAM, A.N. Regulation of IgA secretion in polyclonally induced *in vitro* human lymphocyte cultures: the function of T and B cells from mesenteric lymph nodes and peripheral blood, 158
- PARAGH, G., NAGY, J.T., SZONDY, E., FORIS, G. & LEOVEY, A. Immunomodulating effect of low density lipoprotein on human monocytes, 665
- PARK, H. *see* LEVY, R.J.
- PAYNE, S.N. *see* BRETT, S.J.
- PEDERSEN, J.S. *see* ALDERUCCIO, F.
- PIRME, C. *see* MENDONCA, S.C.
- POLMAR, S.H., SCHACTER, B.Z. & SORESENSEN, R.U. Long-term immunological reconstitution by peripheral blood leucocytes in severe combined immune deficiency disease: implications for the role of mature lymphocytes in histocompatible bone marrow transplantation, 518
- PONTES DE CARVALHO, L.C., BADARO, R., CARVALHO, E.M., LANNES-VIREIRA, J., VINHAES, L., OREGI, G., MARSOCHI, M.C.A. & GALVAO-CASTRO, B. Nature and incidence of erythrocyte-bound IgG and some aspects of the physiopathogenesis of anaemia in American visceral leishmaniasis, 495
- PONTISSO, P. *see* CHEMELLO, L.
- POTTS, R.C. *see* BECK, J.S.
- POULTER, L.W. *see* ALEGRE, V.A.
- POWELL, R.N. *see* WALSH, L.J.
- POZZI, F. *see* FIORINI, G.
- PRICE, K. *see* BHOOPALAM, N.
- PRYCE, G. *see* BANGA, J.P.
- QUINN, T.C. *see* BENDER, B.S.
- RAJ, A.S., TUSCAN, M., SHAPIRO, B., GLATFELTER, A., KUNKEL, R. & WIGGINS, R.C. Amount of antibody is critical for immune complex displacement by charge completion from both rabbit glomeruli and anionic beads, 629
- RANADIVE, S.N., BHATTACHARYA, S., KALE, M.K. & BHATTACHARYA, A. Humoral immune response in tuberculosis: initial characterization by immunoprecipitation of <sup>125</sup>Iodine labelled antigens and sodium dodecyl sulfate polyacrylamide gel electrophoresis, 277
- RAVIOLI, R. *see* BARNASS, S.
- REALDI, G. *see* CHEMELLO, L.
- REDFIELD, R. *see* BENDER, B.S.
- REED, S.G., ANDRADE, Z.A., ROTERS, S.B., INVERSO, J.A. & SADIGURSKY, M. Leishmania mexicana amazonensis infections in 'resistant' inbred mice following removal of the draining lymph node, 8
- REITANO, M. *see* DE PAOLI, P.
- RICKINSON, A.B. *see* YAO, Q.Y.
- ROBERTS-THOMSON, P.J. *see* KOH, L.Y.
- ROBINS-BROWNE, R. *see* HEYMA, P.
- ROITT, I.M. *see* BANGA, J.P.
- RONDANELLI, E.G. *see* CHEMELLO, L.
- ROOK, G.A.W. *see* BARNASS, S.
- ROTTERS, S.B. *see* REED, S.G.
- RYDER, C.R. *see* BEATY, W.
- RYFFEL, B. *see* GUNN, H.C.
- SADIGURSKY, M. *see* REED, S.G.
- SANDBORG, C.E. *see* BERMAN, M.A.
- SANTHANAM, A.N. *see* PANG, G.
- SANTINI, G. *see* DE PAOLI, P.
- SATO, M., KOJIMA, H. & KOSHIKAWA, S. Modification of immune complexes deposited in glomeruli in tissue sections treated with sulfonized  $\gamma$ -globulin, 623
- SCHACTER, B.Z. *see* POLMAR, S.H.
- SCHIAVAON, E. *see* CHEMELLO, L.
- SCHIOTZ, P.O. *see* DORIG, G.
- SCHON-HEGRAD, M. *see* MARZO, A.L.
- SCHOT, L.P.C. *see* VERHEUL, H.A.M.
- SCHUURS, A.H.W.M. *see* VERHEUL, H.A.M.
- SEWELL, W.A. *see* DE MOERLOOSE, P.A.
- SEYMOUR, G.J. *see* WALSH, L.J.
- SHALEV, Y., BENTWICH, Z., KATZ, D., BRAUTBAR, C. & MOZES, E. Antigen specific immune response potential and HLA typing of Israeli patients with thyroid autoimmune diseases (TAD), 255
- SHAPIRO, B. *see* RAJ, A.S.
- SHERWOOD, T.A. & VIRELLA, G. The binding of immune complexes to human red cells: complement requirements and fate of the RBC-bound IC after interaction with human phagocytic cells, 195
- SHIMIZU, F. *see* OITE, T.
- SIBLEY, J.T., BRAUN, R.P. & LEE, J.S. The production of antibodies to DNA in normal mice following immunization with poly(ADP-ribose), 563
- SIMS, M. *see* KAYE, P.M.
- SINCIO, R.A. *see* FIORINI, G.
- SJOGREN, A. *see* HAST, R.
- SORENSEN, R.U. *see* POLMAR, S.H.
- SPENCER, J., MACDONALD, T.T., FINN, T. & ISAACSON, P.G. The development of gut associated lymphoid tissue in the terminal ileum of fetal human intestine, 536
- STAINES, N.A. *see* THOMSPSON, H.S.G.
- STANFORD, J. *see* BECK, J.S.
- STEELE, J. *see* BARNASS, S.
- S.-E. SVEHAG *see* HUSBY, S.
- SWAAK, A.J.G. *see* DRAEGER, A.M.

- SWANSON, J. *see* CREE, I.A.
- SZONDY, E. *see* PARAGH, J.T.
- TACHIBANA, K. *see* BABA, K.
- TAKACS, L., OSAWA, H., LISZKA, K. & DIAMANSTEIN, T. Cells reacting with the monoclonal anti-IL-2 receptor antibody AMT-13 in the regenerating thymus of irradiated mice, 342
- TAMAKI, T., YONEZAWA, T., KANAKURA, Y., KATAGIRI, S., MIZUTANI, H., KITANI, T. & TARUI, S. Mitogenic response of neoplastic B cells: comparison of reactivity to *Staphylococcus aureus* Cowan I and anti-immunoglobulin antibodies, 181
- TAR, L. *see* LEVY, R.J.
- TARUI, S. *see* TAMAKI, T.
- TERENCIO, J. *see* BARNASS, S.
- TERESA, V.M., ROSELLA, C. & ELENA, L. Letter to the Editor: *In vitro* zinc correction of natural killer (NK) activity in the elderly, 223
- THE, T.H. *see* OUT, T.A.
- THOMPSON, H.S.G. & STAINES, N.A. Gastric administration of type II collagen delays the onset and severity of collagen-induced arthritis in rats, 581
- TIRELLI, U. *see* DE PAOLI, P.
- TOH, B.H. *see* ALDERUCCIO, F.
- TOJO, S. *see* KOYAMA, A.
- TORRES, P. *see* BARNASS, S.
- TSUDA, F. *see* BABA, K.
- TSUNEMATSU, T. *see* OGAWA, H.
- TUSCAN, M. *see* RAJ, A.S.
- UHRICH, S. *see* KOWNATZKI, E.
- VAN DAM, D. *see* MUDDE, G.C.
- VAUGHAN, J.H. *see* FONG, S.
- VERGANI, D. *see* NOURI-ARIA, K.T.
- VERHEUL, H.A.M., SCHOT, L.P.C. & SCHUURS, A.H.W.M. Therapeutic effects of nandrolone decanoate, tibolone, lynestrenol and ethylestrenol on Sjögren's syndrome-like disorder in NZB/W mice, 243
- VILLALATA, D. *see* DE PAOLI, P.
- VINHAES, L. *see* PONTES DE CARVALHO, L.C.
- VIRELLA, G. *see* SHERWOOD, T.A.
- VLUG, A. *see* AL AMIN, E.M.
- VOGT, A. *see* OITE, T.
- VOSSEN, J.M. *see* OUT, T.A.
- WALSH, L.J., SEYMOUR, G.J. & POWELL, R.N. Modulation of gingival Langerhan's cell T6 antigen expression *in vitro* by interleukin 1 and interleukin 1 inhibitor, 334
- WARNATZ, H. *see* LEMM, G.
- WARRINGTON, R.J. *see* OFOSU-APPIAH, W.A.
- WATERS, M.F.R. *see* BARNASS, S.
- WATT, P.J., ZARDIS, M. & LAMBDEN, P.R. Age related response to respiratory syncytial virus fusion protein in infected infants, 503
- WEETMAN, A.P. *see* BANGA, J.P.
- WESTERMANN, J. & PABST, R. Autotransplantation of splenic fragments: lymphocyte subsets in blood, lymph nodes and splenic tissue, 188
- WIGGINS, R.C. *see* RAJ, A.S.
- WILKINS, J.A. *see* OFOSU-APPIAH, W.A.
- WILLIAMS, R. *see* NOURI-ARIA, K.T.
- WOOD, G.M. *see* CICLITRA, P.J.
- WRIGHT, E.P. *see* AL AMIN, E.M.
- YAO, Q.Y., RICKINSON, A.B., GASTON, J.S.H. & EPSTEIN, M.A. Disturbance of the virus-host balance in rheumatoid arthritis patients: a quantitative study, 302
- YEUNG, S. *see* PANG, G.
- YONEZAWA, T. *see* TAMAKI, T.
- ZARDIS, M. *see* WATT, P.J.
- ZEGERS, B.J.M. *see* OUT, T.A.

# SUBJECT INDEX

- Accessory cells, 2, 28
- Acetylcholine receptor, 101
- Acquired immune deficiency syndrome, 166, 348, 364, 376
- Adjuvant arthritis, 88
- Adjuvants, 285
- Adult T cell leukaemia virus, 457
- AMT-13, 342
- Anaemia, 494
- Anorexia nervosa, 370
- Antibodies
  - anti-collagen type I, 587
  - anti-DNA, 563
  - anti-idiotypic, 570
  - anti-IL-2 receptor, 342
  - anti-immunoglobulin, 181
  - anti-nuclear, 94
  - anti-poly(ADP-ribose), 563
  - gliadin, 119
  - low-precipitating, 606
  - response, 277, 503
  - subclasses, 503
  - to ubiquitous viruses, 65
- Antibody-dependent cell-mediated cytotoxicity, 166
- Antigen
  - binding assay, 415
  - cationic, 318
  - dietary, 526
  - Ia, 20
  - Hepatitis B e, 295
  - Hepatitis B virus, 285
  - mycobacterial, 41
  - specific synthetic, 476
  - thyroid microsomal, 544
- Antigenic charge, 606
- Appendix, 432
- Arthritis, 581
- Atherosclerosis, 261
- Autoantibody, 587
- Autoimmunity, 225
- Autologous mixed lymphocyte reaction, 107
- Autotransplantation, 188
- Avidity, 606
- B cells, 382
  - activators, 376
  - from mesenteric lymph nodes, 158
  - from peripheral blood, 158
  - human, 150
  - neoplastic, 181
  - polyclonal, 311
- B lymphocytes, 356
- Bone marrow transplant, 125, 518
- Bovine proteins, 323
- Busulfan, 646
- C3 receptors, 423
- Casein, 323
- Catonized bovine serum albumin, 629
- CD4(T4,Leu-3) positive cells, 348
- Cell-mediated immunity, 285, 370
- Cell surface markers, 646
- cfc-c, 1
- Chang liver cells, 223
- Charge, 629
- Chemiluminescence, 35
- Chemotactic factor, 214
- Chemotaxis, 214
- Children, 465, 526
- Chloramphenicol, 646
- Chronic lymphocytic leukaemia, 181
- Cimetidine, 114
- Circadian rhythm, 146
- Coeliac disease, 119, 526
- Collagen type II, 581
- Complement 195, 407, 415, 465
- Counterflow-elutriator, 150
- Cryoglobulinemia, 587
- Culture-induced suppressor function, 88
- Cyclosporin, 125, 225, 234
- Cystic fibrosis, 597
- Cytomegalovirus, 457
- Delayed hypersensitivity, 370
- Draining popliteal node, 8
- Drug abusers, 451
- Duodenal ulcer, 114
- Elastase, 597
- Elderly patients, 223
- Enzyme-linked immunosorbent assay, 119
- Epidemic, 465
- Epstein-Barr virus, 65, 302
- Erythrocytes, 195
- Erythrophagocytosis, 195
- Essential mixed cryoglobulinaemia, 65
- Ethylestrenol, 243
- Experimental autoimmune myasthenia gravis, 101
- F<sub>1</sub> mice, 225, 234
- Fc-gamma receptors, 665
- Fetal human intestine, 536
- Follicular
  - dendritic cells, 205
  - structures, 423
- Footpad, 8
- Fusion protein, 503
- Gliadin, 526
- Glomerular basement membrane, 318
- Glomerular immune complex localization, 606
- Glomeruli, 615, 623
- Glomerulonephritis, 234, 638
- Glomerulus, 629
- Gluten, 119
- Graft-versus-host disease, 323
- Graves' disease, 249
- Group B meningococcal infection, 465
- Gut-associated lymphoid tissue, 536
- HBcAg, 285
- HBsAg, 50, 285
- HLA typing, 255
- HTLV-III, 451

- HTLV-III, 376  
 Haemophilia A, 376  
 Hairy cell leukaemia, 181, 392  
 Hashimoto autoantibodies, 544  
 HbcAg, 285  
 HBsAg, 50, 285  
 Hepatitis, 50  
 Hepatitis B virus, 50, 295  
 Heymann nephritis, 615  
 Humoral response, 14  
  
 Ia antigens, 20  
   inhibition, 28  
 Ig erythrocyte bound, 495  
   producing cells, 432  
 IgA secretion, 158  
 IgG, 295  
   production, 50  
   subclass antibodies, 526  
 IgG1 & IgG4 antibodies against casein, 510  
 IgG4, 415  
 IgM  
   low mol. wt, 471  
   rheumatoid factors, 570  
 Ileum, 536  
 Immune complex glomerulonephritis, 318  
 Immune complexes, 195, 295, 323, 407, 415, 597, 623, 638  
 Immune responses, 125  
 Immunoblots, 94  
 Immunocytochemistry, 261  
 Immunoglobulin deficiencies, 510  
 Immunological abnormalities, 451  
 Immunological reconstitution, 518  
 Immunoprecipitation, 277  
 Indirect immunofluorescence, 615  
 Infective endocarditis, 471  
 Inflammatory dendritic cells, 330  
 Interdigitating cells, 330  
    $\alpha$ -Interferon, 59  
    $\gamma$ -Interferon, 285  
 Interleukin 1, 214, 656  
   inhibitor, 136, 334  
 Interleukin 2, 41, 71, 80, 555  
   receptor-bearing cells, 342  
 Internal image, 570  
 Intestine, 432, 536  
 Iodination, 277  
  
 J-chain, 432  
  
 Kala-azar, 14, 495  
  
 Langerhan's cells, 330, 334  
*Leishmania b. braziliensis*, 269  
*Leishmania major*, 1  
*Leishmania mexicana amazonensis*, 8  
 Leishmaniasis, 1, 14, 269  
 Lepromatous leprosy, 41  
 Leprosy, 35, 476, 484  
 Leucocytes Leu-7 & Leu-11, 173  
 Leukaemia, 181  
 Lipopolysaccharides, 656  
 Low density lipoprotein, 665  
 Lymph node, 8  
 Lymphadenopathy, 451  
 Lymphocyte, 451  
   activation, 382  
   helper, 114  
   peripheral, 146  
   populations, 146  
   proliferative response, 269  
   subpopulations, 188, 484  
   suppressor, 364  
   transformation, 370  
 Lymphoid precursor cells, 356  
 Lynestrenol, 243  
  
 Macrophages, 1, 484, 638  
 Major histocompatibility complex, 261  
 Meningococcal infection (group B), 465  
 Metastases, 8  
 Mice  
   NZB/W, 225, 243, 563  
   serum sickness, 606  
 Monoclonal antibodies, 114, 205, 382, 544  
   human fetus, 356  
   RFD1 & NA1/34, 330  
 Monocytes, 166, 656, 665  
 Mucosal immunity, 581  
 Multiple sclerosis, 107  
 Myasthenia gravis, 101  
*Mycobacterium leprae*, 35, 476  
*Mycobacterium microti*, 20, 28  
  
 Nandrolone decanoate, 243  
 Natural killer  
   activity, 59, 223, 399  
   cells, 173, 399  
   compartment, 392  
 Neuroendocrine system, 399  
 Neutrophil granulocytes, 214  
 Non-Hodgkin lymphomas, 423  
 Nuclear autoantigens, 94  
  
 OrgOD14(tibolone), 243  
 Organ culture, 119  
  
 Pathological hyperprolactinemia, 399  
 Pemphigus acantholysis, 442  
 Peptic ulcer, 114  
 Peptidoglycan, 311  
 Peripheral blood mononuclear leucocytes, 214  
 Peyer's patches, 432, 536  
 Phagocytes, 35  
 Phenolic glycolipid I, 476  
 Phospholipase A, 415  
 Plasma cell differentiation, 150  
 Platelet-derived factors, 442  
 Pokeweed mitogen, 150, 311  
 Polyacrylamide gel electrophoresis, 277  
 Polyclonal-activation, 158  
 Polymorphonuclear leucocytes, 597  
 Prolactin, 399  
 Prostaglandin E<sub>2</sub>, 364  
 Prostaglandins, 28  
 Protamine sulfate, 318  
 Protamine, 629  
 Proteinuria, 234  
*Pseudomonas aeruginosa*, 597

- Rat, 188  
Respiratory burst, 665  
Rheumatoid arthritis, 71, 302, 555  
Rheumatoid factor, 311, 471, 570
- Safe target, 1  
Selective IgA deficiency, 510  
Seminal fluid, 364  
Serology, 476  
Serum sickness, 606  
Severe combined immune deficiency disease, 518  
Sjögren's syndrome, 243  
Skin organ culture, 442  
Skin-tests, 484  
Smooth muscle cells, 261  
Spleen cell transfer, 88  
Splenectomy, 173, 188  
Splenic transplantation, 188  
*Staphylococcus aureus* Cowan I, 181  
Sublethal irradiation, 20  
Sudanese Leishmaniasis, 14  
Sulfonized gamma-globulin, 623  
Suppressor cells, 50, 107  
Suppressor inducer cells, 107  
Synovial fluid lymphocytes, 71  
Synthetic polypeptide antigen, 255  
Systemic lupus erythematosus, 80, 225, 563  
Systemic sclerosis, 94
- T cell  
  clones, 555  
  factors, 255  
  from mesenteric lymph nodes, 158  
  from peripheral blood, 158  
  function, 80  
  helper activity, 255  
  human, 80  
  lymphoma, 646  
  population, 457  
  subsets, 146, 158  
T6 antigen expression, 334  
TdT<sup>+</sup> lymphocyte, 356  
Thymus  
  epithelial monolayer cells, 348  
  irradiated, 342  
Thyroid  
  autoantigen, 544  
  autoimmune disease, 255  
Thyrotrophin, 249  
Tibolone, 243  
Tuberculosis, 277, 484
- Vascular endothelium, 94  
Vasculitis, 587  
Viral hepatitis, 59  
Virus, 503  
Virus-host balance, 302  
Visceral leishmaniasis, 495
- Yersinia enterocolitica*, 249
- Zinc deficiency, 223







# CLINICAL AND EXPERIMENTAL IMMUNOLOGY

AN OFFICIAL JOURNAL OF THE  
BRITISH SOCIETY FOR IMMUNOLOGY

*Editor*

J. L. TURK

*Editorial Board*

|                     |                 |                         |
|---------------------|-----------------|-------------------------|
| B. ALBINI           | A. HAMBLIN      | D. M. V. PARROTT        |
| G. L. ASHERSON      | P. HASLAM       | P. Y. PATERSON          |
| K. F. AUSTEN        | G. HOLM         | M. PEPYS                |
| J. F. BACH          | G. JANOSSY      | A. J. PINCHNG           |
| R. W. BALDWIN       | R. JEFFERIS     | T. A. E. PLATTS-MILLS   |
| R. ST. C. BARNETSON | S. KATZ         | L. POULTER              |
| J. R. BATCHELOR     | A. B. KAY       | M. REICHLIN             |
| M. C. BERENBAUM     | S. KNIGHT       | J. F. SOOTHILL          |
| G. F. BOTTAZZO      | T. LEHNER       | C. SPRY                 |
| J. BROSTOFF         | R. J. LEVINSKY  | M. STEWARD              |
| D. L. BROWN         | N. R. LING      | G. A. T. TARGETT        |
| D. CATOVSKY         | P. M. LYDYARD   | R. A. THOMPSON          |
| A. J. DAVIES        | R. N. MAINI     | R. VAN FURTH            |
| A. M. DENMAN        | C. A. MIMS      | A. VOLLER               |
| J. M. DWYER         | J. MOWBRAY      | M. H. WANSBOROUGH-JONES |
| T. FEIZI            | J. NEWSOM-DAVIS | A. D. B. WEBSTER        |
| M. FELDMANN         | G. PANAYI       | P. C. WILKINSON         |
| A. FERGUSON         | W. E. PARISH    | R. WILLIAMS             |

VOLUME 64

Pages 1-678

BLACKWELL SCIENTIFIC PUBLICATIONS  
OXFORD LONDON EDINBURGH BOSTON PALO ALTO MELBOURNE

1986

© 1986 Blackwell Scientific Publications  
Osney Mead, Oxford OX2 0EL  
8 John Street, London WC1N 2ES  
23 Ainslie Place, Edinburgh EH3 6AJ  
52 Beacon Street, Boston, Mass. 02108, USA  
706 Cowper Street, Palo Alto, Calif. 94301, USA  
99 Barry Street, Carlton, Victoria 3052, Australia

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright owner.

# CONTENTS

## VOLUME 64 • NUMBER 1 • APRIL 1986

|  |     |
|--|-----|
| ANNA M. MIRKOVICH, ANNE GALELLI, A. C. ALLISON & F. Z. MODABBER: Increased myelopoiesis during <i>Leishmania major</i> infection in mice: generation of 'safe targets', a possible way to evade the effector immune mechanism  | 1   |
| S. G. REED, Z. A. ANDRADE, SILENE B. ROTERS, JILL A. INVERSO & M. SADIGURSKY: <i>Leishmania mexicana amazonensis</i> infections in 'resistant' inbred mice following removal of the draining lymph node  | 8   |
| E. M. AL AMIN, E. P. WRIGHT & A. VLUG: Characterization of the humoral immune response in Sudanese Leishmaniasis: specific antibody detected by class- and subclass-specific reagents  | 14  |
| P. M. KAYE & M. FELDMANN: Regulation of macrophage accessory cell activity by mycobacteria. I. Ia expression in normal and irradiated mice infected with <i>Mycobacterium microti</i>  | 20  |
| P. M. KAYE, M. SIMS & M. FELDMANN: Regulation of macrophage accessory cell activity by mycobacteria. II. <i>In vitro</i> inhibition of Ia expression by <i>Mycobacterium microti</i>   | 28  |
| I. A. CREE & J. SWANSON: The influence of killed <i>Mycobacterium leprae</i> and other mycobacteria on opsonized yeast phagocytosis  | 35  |
| S. BARNASS, J. MACE, J. STEELE, P. TORRES, B. GERVASONI, R. RAVIOLI, J. TERCENIO, G. A. W. ROOK & M. F. R. WATERS: Prevalence and specificity of the enhancing effect of three types of interleukin 2 on T cell responsiveness in 97 lepromatous leprosy patients of mixed ethnic origin | 41  |
| KAYHAN T. NOURI-ARIA, G. J. M. ALEXANDER, B. PORTMANN, D. VERGANI, A. J. W. F. EDDLESTON & R. WILLIAMS: <i>In vitro</i> study of IgG production and concanavalin A induced suppressor cell function in acute and chronic hepatitis B virus infection                                     | 50  |
| LILIANA CHEMELO, M. MONDELLI, FLAVIA BORTOLOTTI, EMMA SCHIAVON, PATRIZIA PONTISSO, A. ALBERTI, E. G. RONDANELLI & G. REALDI: Natural killer activity in patients with acute viral hepatitis  | 59  |
| G. FIORINI, PAOLA BERNASCONI, R.A. SINICO, ROSA CHIANESE, FRANCESCA POZZI & G. D'AMICO: Increased frequency of antibodies to ubiquitous viruses in essential mixed cryoglobulinaemia   | 65  |
| G. LEMM & H. WARNATZ: Evidence for enhanced interleukin 2 (IL-2) secretions and IL-2 receptor presentation by synovial fluid lymphocytes in rheumatoid arthritis   | 71  |
| ANGELIKA M. DRAEGER, A. J. G. SWAAK, HELEEN G. VAN DEN BRINK & L. A. AARDEN: T cell function in systemic lupus erythematosus: normal production of and responsiveness to interleukin 2   | 80  |
| H. OGAWA & T. TSUNEMATSU: Suppression of adjuvant arthritis in rats by transfer of cultured spleen cells   | 88  |
| F. ALDERUCCIO, A. J. BARNETT, J. H. CAMPBELL, J. S. PEDERSEN & B. H. TOH: ScI-95/100: doublet of endothelial marker autoantigens in progressive systemic sclerosis   | 94  |
| A. L. MARZO, M. J. GARLEPP, M. SCHON-HEGRAD & R. L. DAWKINS: Susceptibility to murine experimental autoallergic myasthenia gravis: the role of antibody specificity  | 101 |
| R. L. HIRSCH: Defective autologous mixed lymphocyte activity in multiple sclerosis   | 107 |
| R. HAST, P. BERNELL, R. BEFRITS, C. DOWDING & ANNE-MARIE SJÖGREN: Decrease in helper (T4 <sup>+</sup> ) lymphocytes following cimetidine treatment for duodenal ulcer  | 114 |
| P. J. CICLITIRA, H. J. ELLIS, G. M. WOOD, P. D. HOWDLE & M. S. LOSOWSKY: Secretion of gliadin antibody by coeliac jejunal mucosal biopsies cultured <i>in vitro</i>  | 119 |
| P. L. AMLOT, A. E. HAYES, D. GRAY, E. C. GORDON-SMITH & J. H. HUMPHREY: Human immune responses <i>in vivo</i> to protein (KLH) and polysaccharide (DNP-Ficoll) neoantigens: normal subjects compared with bone marrow transplant patients on cyclosporine                                | 125 |
| MONIQUE A. BERMAN, CHRISTY I. SANDBORG, BELINDA S. CALABIA, B. S. ANDREWS & G. J.  |     |

|  |     |
|--|-----|
| FRIOU: Studies of an interleukin 1 inhibitor: characterization and clinical significance   | 136 |
| YASUHIKO OHTA, KENJI FUJIWARA, TADHIRO NISHI & HIROSHI OKA: Normal values of peripheral lymphocyte populations and T cell subsets at a fixed time of day: a flow cytometric analysis with monoclonal antibodies in 210 healthy adults                          | 146 |
| G. C. MUDDE, D. VAN DAM & G. C. DE GAST: Human peripheral blood B cell subpopulations: surface IgD <sup>+</sup> cells respond to pokeweed mitogen with plasma cell differentiation   | 150 |
| G. PANG, S. YEUNG, R. L. CLANCY, A. W. CRIPPS, E. J. HENNESSY & A. N. SANTHANAM: Regulation of IgA secretion in polyclonally induced <i>in vitro</i> human lymphocyte cultures: the function of T and B cells from mesenteric lymph nodes and peripheral blood | 158 |
| B. S. BENDER, F. A. AUGER, T. C. QUINN, R. REDFIELD, J. GOLD & T. M. FOLKS: Impaired antibody-dependent cell-mediated cytotoxic activity in patients with acquired immunodeficiency syndrome   | 166 |
| A. FERRANTE, G. K. KIROFF & P. A. DREW: Elevated natural killer (NK) cytotoxicity of mononuclear leucocytes from splenectomized patients: increase in Leu-7 <sup>+</sup> and Leu-11 <sup>+</sup> leucocytes  | 173 |
| T. TAMAKI, T. YONEZAWA, Y. KANAKURA, S. KATAGIRI, H. MIZUTANI, T. KITANI & S. TARUI: Mitogenic response of neoplastic B cells: comparison of reactivity to <i>Staphylococcus aureus</i> Cowan I and anti-immunoglobulin antibodies                             | 181 |
| J. WESTERMANN & R. PABST: Autotransplantation of splenic fragments: lymphocyte subsets in blood, lymph nodes and splenic tissue  | 188 |
| T. A. SHERWOOD & G. VIRELLA: The binding of immune complexes to human red cells: complement requirements and fate of the RBC-bound IC after interaction with human phagocytic cells  | 195 |
| G. D. JOHNSON, DEBORAH L. HARDIE, N. R. LING & I. C. M. MACLENNAN: Human follicular dendritic cells (FDC): a study with monoclonal antibodies (MoAb)   | 205 |
| E. KOWNATZKI, A. KAPP & S. UHRICH: Novel neutrophil chemotactic factor derived from human peripheral blood mononuclear leucocytes  | 214 |
| <b>Letter to the Editor</b>  |     |
| VENTURA MARIA TERESA, CROLLO ROSELLA & LASARACINA ELENA: <i>In vitro</i> zinc correction of natural killer (NK) activity in the elderly  | 223 |

## VOLUME 64 • NUMBER 2 • MAY 1986

|   |     |
|---|-----|
| H. C. GUNN: Successful treatment of autoimmunity in (NZB × NZW) F <sub>1</sub> mice with cyclosporin and (Nva <sup>2</sup> )-cyclosporin: I. Reduction of autoantibodies  | 225 |
| H. C. GUNN & B. RYFFEL: Successful treatment of autoimmunity in (NZB × NZW) F <sub>1</sub> mice with cyclosporin and (Nva <sup>2</sup> )-cyclosporin: II. Reduction of glomerulonephritis   | 234 |
| H. A. M. VERHEUL, L. P. C. SCHOT & A. H. W. M. SCHUURS: Therapeutic effects of nandrolone decanoate, tibolone, lynestrenol and ethylestrenol on Sjögren's syndrome-like disorder in NZB/W mice  | 243 |
| PAULA HEYMA, L. C. HARRISON & R. ROBINS-BROWNE: Thyrotrophin (TSH) binding sites on <i>Yersinia enterocolitica</i> recognized by immunoglobulins from humans with Graves' disease   | 249 |
| Y. SHALEV, Z. BENTWICH, DVORA KATZ, C. BRAUTBAR & EDNA MOZES: Antigen specific immune response potential and HLA typing of Israeli patients with thyroid autoimmune diseases (TAD)  | 255 |
| G. K. HANSSON, LENA JONASSON, J. HOLM & LENA CLAESSEON-WELSH: Class II MHC antigen expression in the atherosclerotic plaque: smooth muscle cells express HLA-DR, HLA-DQ and the invariant gamma chain                                   | 261 |
| S. C. MENDONÇA, S. G. COUTINHO, REGINA R. AMENDOEIRA, M. C. A. MARZOCHI & CLAUDE PIRMEZ: Human American cutaneous leishmaniasis ( <i>Leishmania b. braziliensis</i> ) in Brazil: lymphoproliferative responses and influence of therapy | 269 |
| S. N. RANADIVE, SUDHA BHATTACHARYA, M. K. KALE & A. BHATTACHARYA: Humoral immune response to tuberculosis: initial characterization by immunoprecipitation of   |     |

|   |     |
|---|-----|
| <sup>125</sup> Iodine labelled antigens and sodium dodecyl sulfate polyacrylamide gel electrophoresis   | 277 |
| P. A. DE MOERLOOSE, I. H. FRAZER, W. A. SEWELL, ELIZABETH J. COLLINS & I. R. MACKAY: Cell-mediated immunity to hepatitis B virus antigens in mice: correlation of <i>in vivo</i> and <i>in vitro</i> assays   | 285 |
| K. BABA, I. KU ISE, SHINOBU AIHARA, S. KISHIMOTO, F. TSUDA, K. TACHIBANA, Y. MIYAKAWA & M. MAYUMI: Small and large forms of hepatitis B e antigen in the serum: determination by two-site sandwich radioimmunoassay with monoclonal antibodies  | 295 |
| Q. Y. YAO, A. B. RICKINSON, J. S. H. GASTON & M. A. EPSTEIN: Disturbance of the Epstein-Barr virus-host balance in rheumatoid arthritis patients: a quantitative study  | 302 |
| R. J. LEVY, M. HAIDAR, H. PARK, L. TAR & A. I. LEVINSON: Bacterial peptidoglycan induces <i>in vitro</i> rheumatoid factor production by lymphocytes of healthy subjects  | 311 |
| T. OITE, F. SHIMIZU, S. R. BATSFORD & A. VOGT: The effect of protamine sulfate on the course of immune complex glomerulonephritis in the rat  | 318 |
| C. CUNNINGHAM-RUNDLES & R. O'REILLY: Association of circulating immune complexes containing bovine proteins and graft-versus-host disease   | 323 |
| V. A. ALEGRE, D. M. MACDONALD & L. W. POULTER: The simultaneous presence of Langerhan's cell and interdigitating cell antigenic markers on inflammatory dendritic cells   | 330 |
| L. J. WALSH, G. J. SEYMOUR & R. N. POWELL: Modulation of gingival Langerhans cell T6 antigen expression <i>in vitro</i> by interleukin 1 and interleukin 1 inhibitor  | 334 |
| L. TAKACS, H. OSAWA, K. LISZKA & T. DIAMANSTEIN: Cells reacting with the monoclonal anti-IL-2 receptor antibody AMT-13 in the regenerating thymus of irradiated mice  | 342 |
| H.-J. SCHUURMAN, R. W. HENDRICKS, J. M. A. LANGE, JOKE A. VAN DER LINDEN, F. H. J. GMELIG MEYLING, S. A. DANNER & L. KATER: Cultured human thymus epithelial monolayer cells induce CD4 expression on mononuclear cells of AIDS patients <i>in vitro</i>                                      | 348 |
| GRETA E. M. ASMA, RENEE LANGLOIS VAN DEN BERGH & J. M. VOSSEN: Characterization of early lymphoid precursor cells in the human fetus using monoclonal antibodies and anti-terminal deoxynucleotide transferase  | 356 |
| S. S. WITKIN: Selective activation of functional suppressor cells by human seminal fluid  | 364 |
| J. CASON, C. C. AINLEY, R. A. WOLSTENCROFT, K. R. W. NORTON & R. P. H. THOMPSON: Cell-mediated immunity in anorexia nervosa   | 370 |
| J. KEKOW, H. PLENDL & W. L. GROSS: Abnormal B cell response to T cell-independent polyclonal B cell activators in haemophilia A   | 376 |
| YASUO KOKAI, YOSHIFUMI ISHII & KOKICHI KIKUCHI: Characterization of two distinct antigens expressed on either resting or activated human B cells as defined by monoclonal antibodies  | 382 |
| R. FOA, F. LAURIA, P. LUSSO, D. RASPADORI, M. T. FIERRO, P. L. TAZZARI, L. CAUDANA & L. MATERA: Phenotypic and functional characterization of the circulating NK compartment in hairy cell leukaemia  | 392 |
| R. GERLI, P. RAMBOTTI, I. NICOLETTI, S. ORLANDI, G. MIGLIORATI & C. RICCARDI: Reduced number of natural killer cells in patients with pathological hyperprolactinemia   | 399 |
| J. A. SCHIFFERLI, GERTRAUD STEIGER & J.-P. PACCAUD: Complement mediated inhibition of immune precipitation and solubilization generate different concentrations of complement anaphylatoxins (C4a, C3a, C5a)  | 407 |
| J. S. VAN DER ZEE, P. VAN SWIETEN & R. C. AALBERSE: Inhibition of complement activation by IgG4 antibodies  | 415 |
| R. GREIL, C. GATTRINGER, T. SCHULZ, W. KNAPP, T. RADASKIEWICZ, M. P. DIERICH & H. HUBER: Receptors for the third component of complement: their association with maturation stage in non-Hodgkin lymphomas (NHL) and their possible implication with the development of follicular structures | 423 |
| K. BJERKE & P. BRANDTZAEG: Immunoglobulin- and J chain-producing cells associated with lymphoid follicles in the human appendix, colon and ileum, including Peyer's patches   | 432 |
| T. HUNZIKER, U. E. NYDEGGER, P. G. LERCH & J.-D. VASSALI: Platelet-derived factors enhance pemphigus acantholysis in skin organ cultures  | 442 |
| EDITORIAL NOTICE  | 450 |
| ANNOUNCEMENT  | 450 |

|   |     |
|---|-----|
| P. DE PAOLI, M. REITANO, S. BATTISTIN, PAOLA MARTELLE, D. VILLALATA, FRANCA BERGAMO, U. TIRELLI, A. CARBONE, SILVAN DIODATO, R. BOSIO & G. SANTINI: Immunological abnormalities in intravenous drug abusers and relationship to the prolonged generalized lymphadenopathy syndrome in Italy | 451 |
| Y. MORISHIMA, K. OHYA, T. MORISHIMA, K. NISHIKAWA & T. FUKUDA: Immunological studies on adult T cell leukaemia virus (ATLV) carriers  | 457 |
| W. BEATY, C. R. RYDER & H. DE V. HEESE: Complement abnormalities during an epidemic of Group B meningococcal infection in children  | 465 |
| LIN Y. KOH, D. N. JONES & P. J. ROBERTS-THOMSON: Appearance of low molecular weight IgM during course of infective endocarditis   | 471 |
| SARA J. BRETT, SHEILA N. PAYNE, JILL GIGG, P. BURGESS & R. GIGG: Use of synthetic glycoconjugates containing the <i>Mycobacterium leprae</i> specific and immunodominant epitope of phenolic glycolipid I in the serology of leprosy  | 476 |
| J. SWANSON BECK, SUSAN M. MORLEY, J. H. GIBBS, R. C. POTTS, M. I. ILIAS, T. KARDJITO, J. M. GRANGE, J. STANFORD & R. A. BROWN: The cellular responses of tuberculosis and leprosy patients and of healthy controls in skin tests to 'New Tuberculin' and Leprosin A                         | 484 |
| L. C. PONTES DE CARVALHO, R. BADARÓ, E. M. CARVALHO, JOSELI LANNES-VIEIRA, LUCIA VINHAES, GLORIA ORGE, M. C. A. MARSOCHI & B. GALVÃO-CASTRO: Nature and incidence of erythrocyte-bound IgG and some aspects of the physiopathogenesis of anaemia in American visceral leishmaniasis         | 495 |
| P. J. WATT, M. ZARDIS & P. R. LAMBDEN: Age related IgG subclass response to respiratory syncytial virus fusion protein in infected infants  | 503 |
| T. A. OUT, P. J. VAN MUNSTER, P. A. DE GRAEFF, T. H. THÉ, J. M. VOSSEN & B. J. M. ZEGERS: Immunological investigations in individuals with selective IgA deficiency   | 510 |
| S. H. POLMAR, BERNICE Z. SCHACTER & R. U. SORENSEN: Long-term immunological reconstitution by peripheral blood leucocytes in severe combined immune deficiency disease: implications for the role of mature lymphocytes in histocompatible bone marrow transplantation                      | 518 |
| S. HUSBY, N. FOGED, V.-A. OXELIUS & S.-E. SVEHAG: Serum IgG subclass antibodies to gliadin and other dietary antigens in children with coeliac disease  | 526 |
| JO SPENCER, T. T. McDONALD, TERESA FINN & P. G. ISAACSON: The development of gut associated lymphoid tissue in the terminal ileum of fetal human intestine  | 536 |
| J. P. BANGA, RITA MIRAKIAN, LINDA HAMMOND, G. PRYCE, S. BIDEY, F. BOTTAZZO, A. P. WEETMAN, A. M. MCGREGOR & I. M. ROITT: Characterization of monoclonal antibodies directed towards the microsomal/microvillar thyroid autoantigen recognized by Hashimoto autoantibodies                   | 544 |
| W. A. OFOSU-APPIAH, RACHEL M. MCKENNA, R. J. WARRINGTON & J. A. WILKINS: Characterization of synovial T lymphocytes in rheumatoid arthritis I. Production of IL-2 dependent T cell clones from synovial fluid and peripheral blood  | 555 |
| J. T. SIBLEY, R. P. BRAUN & J. S. LEE: The production of antibodies to DNA in normal mice following immunization with poly(ADP-ribose)  | 563 |
| S. FONG, T. A. GIBERTSON, P. P. CHEN, J. G. KARRAS, J. H. VAUGHAN & D. A. CARSON: The common occurrence of internal image type anti-idiotypic antibodies in rabbits immunized with monoclonal and polyclonal human IgM rheumatoid factors   | 570 |
| H. S. G. THOMPSON & N. A. STAINES: Gastric administration of type II collagen delays the onset and severity of collagen-induced arthritis in rats   | 581 |
| INGE CLEMMENSIN, B. A. JENSEN, BERIT HØLUND, ELLEN KAPPELGAARD & H. NEILSEN: Circulating monoclonal IgM lambda cryoglobulin with collagen type I affinity in vasculitis   | 587 |
| G. DÖRIG, W. GOLDSTEIN, K. BOTZENHART, A. KHARAZMI, P. O. SCHIOTZ, N. HØIBY & M. DASGUPTA: Elastase from polymorphonuclear leucocytes: a regulatory enzyme in immune complex disease  | 597 |



# *Volume contents*

vii

|  |     |
|--|-----|
| A. KOYAMA, H. INAGE, M. KOYABASHI, Y. OHTA, M. NARITA, S. TOJO & J. S. CAMERON: Role of antigenic charge and antibody avidity on the glomerular immune complex localization in serum sickness of mice            | 606 |
| S. P. MAKKER & D. M. MAKKER: A simple technique for detecting the antigen of Heymann nephritis in glomeruli by immunofluorescence  | 615 |
| M. SATO, H. KOJIMA & S. KOSHIKAWA: Modification of immune complexes deposited in glomeruli in tissue sections treated with sulfonized $\gamma$ -globulin   | 623 |
| A. S. RAJ, M. TUSCAN, B. SHAPIRO, A. GLATFELTER, ROBIN KUNKEL & R. C. WIGGINS: Amount of antibody is critical for immune complex displacement by charge competition from both rabbit glomeruli and anionic beads | 629 |
| N. W. BOYCE & S. R. HOLDSWORTH: Quantitation of the intrarenal uptake of immunoglobulin aggregates by macrophages in diffuse proliferative glomerulonephritis  | 638 |
| NIRMALA BHOOPALAM, KATHERINE PRICE, H. NORGELLO, JUDY BARONE-VARELAS & W. FRIED: Busulfan and chloramphenicol induced T cell lymphoma: cell surface characteristics and functional properties                    | 646 |
| W. P. AREND & R. J. MASSONI: Characteristics of bacterial lipopolysaccharide induction of interleukin 1 synthesis and secretion by human monocytes   | 656 |
| G. PARAGH, J. T. NAGY, ÉVA SZONDY, GABRIELLA FÓRIS & A. LEÖVEY: Immunomodulating effect of low density lipoprotein on human monocytes  | 665 |
| AUTHORS AND SUBJECT INDEXES FOR VOLUME 64  | 673 |